

Per 1 L of water

**VEG PERIOD**  
Seeding & Cuttings  
**18 HOURS OF LIGHT**

Week:

1

2



0.4 ml.

0.4 ml.



A & B (each)  
Min. 2.0 ml.  
Max. 3.5 ml.  
EC 1.8 - 2.0

A & B (each)  
Min. 2.0 ml.  
Max. 3.5 ml.  
EC 1.8 - 2.0



Watering  
2 ml.



1 ml.

1 ml.



**OPTIONAL ENVIRONMENTAL SUPPLEMENTS**



0.4 ml.  
1x per week

0.4 ml.  
1x per week



0.1 - 1 ml.

0.1 - 1 ml.



1x per week

1x per week



0.1 ml.

0.1 ml.



pH=5.8 - 6.5

pH=5.8 - 6.5



**FEED CHART Soil - Per 1 L water WITHOUT EXTRA CO<sub>2</sub>**

IMPORTANT: THIS FEED CHART IS A GUIDE LINE. IT IS POSSIBLE TO DEVIATE.  
ALWAYS USE EQUAL AMOUNTS OF A & B BASE FEED!  
KEEP ADDING BASE NUTRIENTS UNTIL YOU REACH YOUR EC FOR MIXING INSTRUCTIONS, SEE REVERSE.

WE ARE NOT RESPONSIBLE FOR PRINTING ERRORS



www.dutchpro.com

**BLOOM PERIOD - 12 HOURS OF LIGHT**



1

2

3

4

5

6

7

8

FLUSH

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

A & B (each)  
Min. 2.0 ml.  
Max. 3.5 ml.  
EC 1.8 - 2.3

A & B (each)  
Min. 2.0 ml.  
Max. 3.5 ml.  
EC 1.8 - 2.3

A & B (each)  
Min. 2.0 ml.  
Max. 3.5 ml.  
EC 1.8 - 2.3

A & B (each)  
Min. 2.0 ml.  
Max. 3.5 ml.  
EC 1.8 - 2.3

A & B (each)  
Min. 2.0 ml.  
Max. 3.5 ml.  
EC 1.8 - 2.3

A & B (each)  
Min. 2.0 ml.  
Max. 3.5 ml.  
EC 1.8 - 2.3

A & B (each)  
Min. 2.0 ml.  
Max. 3.5 ml.  
EC 1.8 - 2.3

A & B (each)  
Min. 2.0 ml.  
Max. 3.5 ml.  
EC 1.8 - 2.3

1 ml.

1 ml.

1 ml.

1 ml.

1 ml.

1 ml.

0.5 ml.

0.5 ml.

1 ml.

1 ml.

1.5 ml.

1.5 ml.

**OPTIONAL ENVIRONMENTAL SUPPLEMENTS**

V24.4

0.4 ml.  
1x per week

0.4 ml.  
1x per week

0.4 ml.  
1x per week

0.4 ml.  
1x per week

0.4 ml.  
1x per week

0.4 ml.  
1x per week

0.4 ml.  
1x per week

0.4 ml.  
1x per week

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

1x per week

1x per week

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

pH=5.8 - 6.5

pH=5.8 - 6.5

pH=5.8 - 6.5

pH=5.8 - 6.5

pH=5.8 - 6.5

pH=5.8 - 6.5

pH=5.8 - 6.5

pH=5.8 - 6.5