

Per 1 L of water

VEG PERIOD
Seeding & Cuttings
18 HOURS OF LIGHT

Week:

1

2



0.4 ml.

0.4 ml.



A & B (each)
Min. 2.0 ml.
Max. 5.0 ml.
EC 1.8 - 2.0

A & B (each)
Min. 2.0 ml.
Max. 5.0 ml.
EC 1.8 - 2.0



Watering
2 ml.



1 ml.

1 ml.



OPTIONAL ENVIRONMENTAL SUPPLEMENTS



0.4 ml.
1x per week

0.4 ml.
1x per week



0.1 - 1 ml.

0.1 - 1 ml.



1x per week

1x per week



0.1 ml.

0.1 ml.



pH=5.8 - 6.5

pH=5.8 - 6.5



FEED CHART Soil RO/SO SOFT-Per 1 L water WITHOUT EXTRA CO₂

IMPORTANT: THIS FEED CHART IS A GUIDE LINE. IT IS POSSIBLE TO DEVIATE.
ALWAYS USE EQUAL AMOUNTS OF A & B BASE FEED!
KEEP ADDING BASE NUTRIENTS UNTIL YOU REACH YOUR EC FOR MIXING INSTRUCTIONS, SEE REVERSE.

WE ARE NOT RESPONSIBLE FOR PRINTING ERRORS



www.dutchpro.com

BLOOM PERIOD - 12 HOURS OF LIGHT



1

2

3

4

5

6

7

8

FLUSH

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

0.4 ml.

A & B (each)
Min. 2.0 ml.
Max. 5.0 ml.
EC 1.8 - 2.4

A & B (each)
Min. 2.0 ml.
Max. 5.0 ml.
EC 1.8 - 2.4

A & B (each)
Min. 2.0 ml.
Max. 5.0 ml.
EC 1.8 - 2.4

A & B (each)
Min. 2.0 ml.
Max. 5.0 ml.
EC 1.8 - 2.4

A & B (each)
Min. 2.0 ml.
Max. 5.0 ml.
EC 1.8 - 2.4

A & B (each)
Min. 2.0 ml.
Max. 5.0 ml.
EC 1.8 - 2.4

A & B (each)
Min. 2.0 ml.
Max. 5.0 ml.
EC 1.8 - 2.4

A & B (each)
Min. 2.0 ml.
Max. 5.0 ml.
EC 1.8 - 2.4

1 ml.

1 ml.

1 ml.

1 ml.

1 ml.

1 ml.

0.5 ml.

0.5 ml.

1 ml.

1 ml.

1.5 ml.

1.5 ml.

OPTIONAL ENVIRONMENTAL SUPPLEMENTS

V24.4

0.4 ml.
1x per week

0.4 ml.
1x per week

0.4 ml.
1x per week

0.4 ml.
1x per week

0.4 ml.
1x per week

0.4 ml.
1x per week

0.4 ml.
1x per week

0.4 ml.
1x per week

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

0.1 - 1 ml.

1x per week

1x per week

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

0.1 ml.

pH=5.8 - 6.5

pH=5.8 - 6.5

pH=5.8 - 6.5

pH=5.8 - 6.5

pH=5.8 - 6.5

pH=5.8 - 6.5

pH=5.8 - 6.5

pH=5.8 - 6.5